



# Spreader Setting Charts

## Multigreen/Headland Xtend/Greentec/Tricure

Multigreen Product Range											
Product	Appl Rate (g/m <sup>2</sup> )	Scotts Accupro 2000				Scotts R8-A				Vicon Type 03	
		Single Pass Letter	Double Pass Letter	Cone No.	Spread Width	Single Pass Letter	Double Pass Letter	Cone No.	Spread Width	Setting @ 7kph	Spread Width
Multigreen 30+8+8 and 30+5+14	30g/m <sup>2</sup>	R 1/2	O	2	4.4m	O	L	3	3.75m	36	12.0m
	35g/m <sup>2</sup>	T 1/2	P	2	4.4m	P	L 1/2	3	3.75m	42	12.0m
	40g/m <sup>2</sup>	V	P 1/2	2	4.4m	R	M	3	3.75m	-	-
	45g/m <sup>2</sup>	V 1/2	Q	2	4.4m	S	M 1/2	3	3.75m	-	-
	50g/m <sup>2</sup>	X	Q 1/2	2	4.4m	T	N	3	3.75m	-	-
Multigreen 20+0+32	30g/m <sup>2</sup>	R 1/2	O	3	4.4m	O	L	3	4.35m	30	12.0m
	35g/m <sup>2</sup>	T 1/2	O 1/2	3	4.4m	P	L 1/2	3	4.35m	34	12.0m
	40g/m <sup>2</sup>	V	P	3	4.4m	R	M	3	4.35m	-	-
	45g/m <sup>2</sup>	V 1/2	P 1/2	3	4.4m	S	M 1/2	3	4.35m	-	-
	50g/m <sup>2</sup>	X	Q 1/2	3	4.4m	T	N	3	4.35m	-	-
Multigreen 3 28+3+15+2MgO	25g/m <sup>2</sup>	S	-	3	4.4m	M	J	3	4.35m	31	12.0m
	30g/m <sup>2</sup>	S 1/2	Q	3	4.4m	N 1/2	K 1/2	3	4.35m	33	12.0m
	35g/m <sup>2</sup>	T	Q 1/2	3	4.4m	O 1/2	L	3	4.35m	38	12.0m
Multigreen 3 18+0+28+2MgO	25g/m <sup>2</sup>	P	M	3	5.0m	M	J	3	4.35m	28	12.0m
	30g/m <sup>2</sup>	Q	M 1/2	3	5.0m	N 1/2	K 1/2	3	4.35m	30	12.0m
	35g/m <sup>2</sup>	R	N 1/2	3	5.0m	O 1/2	L	3	4.35m	34	12.0m
Multigreen Fine 25+5+15	25g/m <sup>2</sup>	O 1/2	M	5	4.4m	L 1/2	I 1/2	6	3.75m	-	-
	30g/m <sup>2</sup>	Q	M 1/2	5	4.4m	N	J 1/2	6	3.75m	-	-
	35g/m <sup>2</sup>	R	N	5	4.4m	N 1/2	K	6	3.75m	-	-
Multigreen Fine 19+0+30	25g/m <sup>2</sup>	O	L 1/2	4	4.4m	K	I	6	4.35m	-	-
	30g/m <sup>2</sup>	P	M	4	4.4m	M	I 1/2	6	4.35m	-	-
	35g/m <sup>2</sup>	Q	M 1/2	4	4.4m	N	J	6	4.35m	-	-
Multigreen Mini 24+0+24	30g/m <sup>2</sup>	P	L 1/2	4	4.4m	L	I 1/2	6	3.75m	-	-
	35g/m <sup>2</sup>	Q	M 1/2	4	4.4m	M 1/2	K	6	3.75m	-	-
	40g/m <sup>2</sup>	R	N	4	4.4m	O	L	6	3.75m	-	-
	44g/m <sup>2</sup>	S	N 1/2	4	4.4m	P	L 1/2	6	3.75m	-	-
Multigreen Mini 22+5+22	30g/m <sup>2</sup>	P	M	4	4.4m	L	I	6	3.75m	-	-
	35g/m <sup>2</sup>	Q	M 1/2	4	4.4m	N	J	6	3.75m	-	-
	40g/m <sup>2</sup>	Q 1/2	N	4	4.4m	O 1/2	L	6	3.75m	-	-
	44g/m <sup>2</sup>	R 1/2	N 1/2	4	4.4m	P 1/2	L 1/2	6	3.75m	-	-
Multigreen Mini 12+0+44	30g/m <sup>2</sup>	O 1/2	L 1/2	4	4.4m	K	H 1/2	6	4.35m	-	-
	35g/m <sup>2</sup>	P 1/2	M	4	4.4m	M	J	6	4.35m	-	-
	40g/m <sup>2</sup>	Q	M 1/2	4	4.4m	N 1/2	K	6	4.35m	-	-
	44g/m <sup>2</sup>	R	N	4	4.4m	P	K 1/2	6	4.35m	-	-
Multi-K Miniprill 13+0+46	10g/m <sup>2</sup>	K	I 1/2	5	4.4m	H 1/2	-	6	4.35m	-	-
	15g/m <sup>2</sup>	L	J	5	4.4m	I 1/2	H	6	4.35m	-	-
	20g/m <sup>2</sup>	L 1/2	K	5	4.4m	K	H 1/2	6	4.35m	-	-
	25g/m <sup>2</sup>	M	K 1/2	5	4.4m	K 1/2	I	6	4.35m	-	-
	30g/m <sup>2</sup>	N	L	5	4.4m	L 1/2	I 1/2	6	4.35m	-	-

Xtend Product Range											
Product	Appl Rate (g/m <sup>2</sup> )	Scotts Accupro 2000				Scotts R8-A				Vicon Type 03	
		Single Pass Letter	Double Pass Letter	Cone No.	Spread Width	Single Pass Letter	Double Pass Letter	Cone No.	Spread Width	Setting @ 7kph	Spread Width
Xtend Fine 46+0+0	10g/m <sup>2</sup>	M 1/2	L	5	4.4m	L	-	6	3.75m	-	-
	15g/m <sup>2</sup>	O	L 1/2	5	4.4m	M	K	6	3.75m	18	10.0m
	20g/m <sup>2</sup>	P	M 1/2	5	4.4m	N	L	6	3.75m	21	10.0m
Xtend 25+5+10+4MgO	20g/m <sup>2</sup>	P	M 1/2	3	4.4m	L 1/2	I 1/2	3	4.35m	31	12.0m
	25g/m <sup>2</sup>	R	N	3	4.4m	M	J	3	4.35m	33	12.0m
	30g/m <sup>2</sup>	S	N 1/2	3	4.4m	M 1/2	K 1/2	3	4.35m	38	12.0m
Xtend 15+5+20+5MgO 15+20+10+4MgO	35g/m <sup>2</sup>	T	O 1/2	3	4.4m	N 1/2	L	3	4.35m	-	-
	20g/m <sup>2</sup>	O	M	3	4.4m	N	K 1/2	3	4.35m	26	12.0m
	25g/m <sup>2</sup>	P	M 1/2	3	4.4m	O	L	3	4.35m	28	12.0m
	30g/m <sup>2</sup>	Q 1/2	N	3	4.4m	P	L 1/2	3	4.35m	30	12.0m
35g/m <sup>2</sup>	R 1/2	N 1/2	3	4.4m	Q	M 1/2	3	4.35m	-	-	

Greentec Product Range											
Product	Appl Rate (g/m <sup>2</sup> )	Scotts Accupro 2000				Scotts R8-A				Vicon Type 03	
		Single Pass Letter	Double Pass Letter	Cone No.	Spread Width	Single Pass Letter	Double Pass Letter	Cone No.	Spread Width	Setting @ 7kph	Spread Width
Greentec 15+5+15+3MgO 14+2+8+Fe+3MgO 14+0+14+3MgO 6+5+18+MgO+4Fe	15g/m <sup>2</sup>	K 1/2	-	5	3.5m	J	-	8	2.8m	-	-
	20g/m <sup>2</sup>	L 1/2	J	5	3.5m	K	I	8	2.8m	-	-
	25g/m <sup>2</sup>	M 1/2	K	5	3.5m	L 1/2	I 1/2	8	2.8m	-	-
	30g/m <sup>2</sup>	N	K 1/2	5	3.5m	M	J	8	2.8m	-	-
35g/m <sup>2</sup>	O	L	5	3.5m	M 1/2	J 1/2	8	2.8m	-	-	
Greentec Organic 5+5+5+2MgO 10+0+6	30g/m <sup>2</sup>	O	L	5	3.5m	K 1/2	I	4	2.4m	-	-
	35g/m <sup>2</sup>	O 1/2	L 1/2	5	3.5m	L	I 1/2	4	2.4m	-	-
	40g/m <sup>2</sup>	P 1/2	M	5	3.5m	M	J	4	2.4m	-	-
	45g/m <sup>2</sup>	Q 1/2	M 1/2	5	3.5m	M 1/2	J 1/2	4	2.4m	-	-
	50g/m <sup>2</sup>	R	N	5	3.5m	O	K 1/2	4	2.4m	-	-

Tricure Product Range											
Product	Appl Rate (g/m <sup>2</sup> )	Scotts Accupro 2000				Scotts R8-A				Vicon Type 03	
		Single Pass Letter	Double Pass Letter	Cone No.	Spread Width	Single Pass Letter	Double Pass Letter	Cone No.	Spread Width	Setting @ 7kph	Spread Width
Tricure Granular	12g/m <sup>2</sup>	J 1/2	-	5	4.0m	I	-	6	4.0m	-	-
	24g/m <sup>2</sup>	M 1/2	J 1/2	5	4.0m	L 1/2	I	6	4.0m	-	-

Note - All settings are based on 3mph - 1.3m/s walking pace, made with a pre-calibrated spreader.

Reference settings for other makes of pedestrian spreader																										
Scott's R8-A	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	U <sub>2</sub>	V	W	X	Y	Z	
Amtec HVO Spreader	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z
Amtec 50 Spreader	B					F				K					P											
Supaturf C24 Ev-n-Spred	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23		24	25		26	27	28

Note - The settings given above are provided by the manufacturers in relation to the Scotts R8-A spreader setting, however the spreader widths of the Amtec and Ev-n-Spred spreaders are different, so a trial application is necessary before commencing main application.